Nuclear Engineering and Design 125 (1991) 417–418
North-Holland

Author Index to Volume 125

Almenas, K., see Di Marzo 125 (1991) 137

Barbé, B. and J.L. Costaz, Design and behaviour of French containments 125 (1991) 57
Beard, A.N., G. Burke and M.T. Finucane, Assessing the adequacy and reliability of fire barriers in nuclear power plants 125 (1991) 367
Blythe, J.P., see Gregory 125 (1991) 337
Bohn, M.P., see Nowlen 125 (1991) 309
Burke, G., see Beard 125 (1991) 367

Cao, Z.D., see Shen 125 (1991) 111
Chen, J.C., see Tuzla 125 (1991) 189
Chen, J.C., see Unal 125 (1991) 161
Clauss, D.B., see Julien 125 (1991) 23
Clausse, A., see Guido 125 (1991) 121
Cokmez-Tuzla, A.F., see Unal 125 (1991) 161
Converti, J., see Guido 125 (1991) 121
Costaz, J.L., see Barbé 125 (1991) 57
Crowder, R., see White 125 (1991) 85

Dameron, R.A., R.S. Dunham, Y.R. Rashid and H.T. Tang, Conclusions of the EPRI Concrete Containment Research Program 125 (1991) 41
Data, A., A review of fire hazards and fire protection concerns of commercial fuel cycle facilities in the United States 125 (1991) 315
Day, J., see Schwer 125 (1991) 215
Di Marzo, M., K. Almenas and Y.Y. Hsu, On the scaling of pressure for integral test facilities 125 (1991) 137
Dobbernack, R. and K. Müller, Problems in using computer codes for fire prediction in real containments 125 (1991) 395
Dobbernack, R., see Müller 125 (1991) 329
Dunham, R.S., see Dameron 125 (1991) 41

Eberle, F., B. Göller, R. Krieg, S. Raff and E. Wolf, Special aspects of the dynamic behavior of spherical containment shells 125 (1991) 1
Eloranta, E., see Keski-Rahkonen 125 (1991) 377

Fenton, D.L., see Gregory 125 (1991) 337
Finucane, M.T., see Beard 125 (1991) 367
Fischer, J., Review of the IAEA Fire Symposium 125 (1991) 411
France, D.M., see George 125 (1991) 97
Fukumara, N., see Sawai 125 (1991) 251

George, C.M. and D.M. France, Post-CHF two-phase flow with low wallsuperheat 125 (1991) 97
Göller, B., see Eberle 125 (1991) 1
Goshima, T. and K. Miyao, Transient thermal stresses in a hollow cylinder subjected to γ-ray heating and convective heat losses 125 (1991) 267
Gregory, W.S., R.A. Martin, B.W. White, B.D. Nichols, P.R. Smith, I.H. Leslie, D.L. Fenton, M.V. Gunaji and J.P. Blythe, Fires in large scale ventilation systems 125 (1991) 337
Gregory, W.S., see Travis 125 (1991) 403
Guido, G., J. Converti and A. Clausse, Density-wave oscillations in parallel channels – An analytical approach 125 (1991) 121
Gunaji, M.V., see Gregory 125 (1991) 337

Heames, T.J. and R.C. Smith, Integrated MELPROG/TRAC analyses of a PWR station blackout 125 (1991) 175
Hervieu, E., see Lemonnier 125 (1991) 201
Hsiao, M.-Y., see Smith 125 (1991) 147
Hsu, Y.Y., see Di Marzo 125 (1991) 137
Huber, E., see Lang 125 (1991) 325
Huhtanen, R., see Keski-Rahkonen 125 (1991) 377

Ishack, G., Fires and fire protection systems: Feedback from operating experience 125 (1991) 297

Julien, J.T., S.W. Peters and D.B. Clauss, Leak rate test of personnel airlock for LWR containment subject to pressures and temperatures beyond design 125 (1991) 23

Kakodkar, A., see Moorthy 125 (1991) 259
Kawagoe, K., see Sugawa 125 (1991) 347
Keski-Rahkonen, O., E. Eloranta and R. Huhtanen, Use of numerical simulation computer codes to fire problems in nuclear power plants in Finland 125 (1991) 377
Klöcker, H. and F. Montheillet, Influence of flow rule and inertia on the ductile growth of voids 125 (1991) 275
Krause, F.R., see Travis 125 (1991) 403

Krieg, R., see Eberle 125 (1991) 1

Lambright, J.A., see Nowlen 125 (1991) 309
Lang, H.-G. and E. Huber, Experiments on development, spreading and detection of cable fires 125 (1991) 325
Lemonnier, H. and E. Hervieu, Theoretical modelling and experimental investigation of single-phase and two-phase flow division at a tee-junction 125 (1991) 201
Leslie, I.H., see Gregory 125 (1991) 337
Liemersdorf, H., Contribution of plant internal fires in the German Risk Study of Nuclear Power Plants (Phase B) 125 (1991) 359
Lin, T.F., see Smith 125 (1991) 147
Lu, Q.G., see Shen 125 (1991) 111

Malet, J.C., see Malet 125 (1991) 383
Malet, J.C., see Rzekiecki 125 (1991) 353
Martin, R.A., see Gregory 125 (1991) 337
Miyao, K., see Goshima 125 (1991) 267
Montheillet, F., see Klöcker 125 (1991) 275
Moorthy, R.I.K., A.R. Rao and A. Kakodkar, Diagnosis and cure of DHRUVA fuel vibration 125 (1991) 259
Müller, K. and R. Dobbernack, Large hydrocarbon fires in an old NPP 125 (1991) 329
Müller, K., see Dobbernack 125 (1991) 395

Nichols, B.D., see Gregory 125 (1991) 337
Nicolette, V.F. and S.P. Nowlen, Fire models for assessment of nuclear power plant fires 125 (1991) 389
Nicolette, V.F., see Nowlen, 125 (1991) 309
Nowlen, S.P., J.A. Lambright, J.C. Romig, M.P. Bohn and V.F. Nicolette, A discussion of fire suppression induced equipment damage and systems impact through an examination of spurious fire suppression actuation incidents 125 (1991) 309
Nowlen, S.P., see Nicolette 125 (1991) 389

Oka, Y., see Sugawa 125 (1991) 347

Peters, S.W., see Julien 125 (1991) 23

Raff, S., see Eberle 125 (1991) 1
Rao, A.R., see Moorthy 125 (1991) 259
Rashid, Y.R., see Dameron 125 (1991) 41
Romig, J.C., see Nowlen 125 (1991) 309
Rzekiecki, R. and J.C. Malet, Experimental and digital simulation techniques: a predominant tool for analysis of fire risk in French Pressurized Water Reactors 125 (1991) 353
Rzekiecki, R. and J.C. Malet, Model for single or multiple fires in a ventilated system: Code development 125 (1991) 383

Sawai, S., T. Wakabayashi and N. Fukumara, Characteristics of plutonium utilization in the Heavy-Moderated Reactor ATR 125 (1991) 251
Schneider, U., Introduction to fire safety in nuclear power plants 125 (1991) 289
Schwer, L.E. and J. Day, Computational techniques for penetration of concrete and steel targets by oblique impact of deformable projectiles 125 (1991) 215
Shen, Y.F., Z.D. Cao and Q.G. Lu, An investigation of crossflow mixing effect caused by grid spacer with mixing blades in a rod bundle 125 (1991) 111
Smith, J.F., M.-Y. Hsiao, T.F. Lin and M.G. Willis, Magnetohydrodynamically enhanced heat transfer in a liquid metal system 125 (1991) 147
Smith, P.R., see Gregory 125 (1991) 337
Smith, R.C., see Heames 125 (1991) 175
Sugawa, O., K. Kawagoe and Y. Oka, Burning behavior in a poor-ventilation compartment fire – Ghosting fire – 125 (1991) 347

Tang, H.T., see Dameron 125 (1991) 41
Travis, J.R., W.S. Gregory and F.R. Krause, Los Alamos combustion modeling for nuclear systems 125 (1991) 403
Tuzla, K., C. Unal and J.C. Chen, An experimental study of bottom-rewetting in a rod bundle geometry 125 (1991) 189
Tuzla, K., see Unal 125 (1991) 161
Twidale, D. and R. Crowder, Sizewell 'B' – a one tenth scale containment model test for the UK PWR programme 125 (1991) 85

Unal, C., K. Tuzla, A.F. Cokmez-Tuzla and J.C. Chen, Vapor generation rate model for dispersed drop flow 125 (1991) 161
Unal, C., see Tuzla 125 (1991) 189

Wakabayashi, T., see Sawai 125 (1991) 251
White, B.W., see Gregory 125 (1991) 337
White, R.N., Scaling of structural response of containments 125 (1991) 75
Willis, M.G., see Smith 125 (1991) 147
Wolf, E., see Eberle 125 (1991) 1

Youngdahl, C.K., Modal solutions for the dynamic plastic deformation of a beam 125 (1991) 239

Nuclear Engineering and Design 125 (1991) 419–420
North-Holland

Subject Index to Volume 125

Thermal and fluid design

Post-CHF two-phase flow with low wall-superheat, C.M. George and D.M. France 125 (1991) 97
An investigation of crossflow mixing effect caused by grid spacer with mixing blades in a rod bundle, Y.F. Shen, Z.D. Cao and Q.G. Lu 125 (1991) 111
Density-wave oscillations in parallel channels – an analytical approach, G. Guido, J. Converti and A. Clausse 125 (1991) 121
On the scaling of pressure for integral test facilities, M. Di Marzo, K. Almenas and Y.Y. Hsu 125 (1991) 137
Magnetohydrodynamically enhanced heat transfer in a liquid metal system, J.F. Smith, M.-Y. Hsiao, T.F. Lin and M.G. Willis 125 (1991) 147
Vapor generation rate model for dispersed drop flow, C. Unal, K. Tuzla, A.F. Cokmez-Tuzla and J.C. Chen 125 (1991) 161
Integrated MELPROG/TRAC analyses of a PWR station blackout, T.J. Heames and R.C. Smith 125 (1991) 175
An experimental study of bottom-rewetting in a rod bundle geometry, K. Tuzla, C. Unal and J.C. Chen 125 (1991) 189
Theoretical modelling and experimental investigation of single-phase and two-phase flow division at a tee-junction, H. Lemonnier and E. Hervieu 125 (1991) 201

Engineering mechanics

Computational techniques for penetration of concrete and steel targets by oblique impact of deformable projectiles, L.E. Schwer and J. Day 125 (1991) 215
Modal solutions for the dynamic plastic deformation of a beam, C.K. Youngdahl 125 (1991) 239
Transient thermal stresses in a hollow cylinder subjected to γ-ray heating and convective heat losses, T. Goshima and K. Miyao 125 (1991) 267
Influence of flow rule and inertia on the ductile growth of voids, H. Klöcker and F. Montheillet 125 (1991) 275

Materials properties

Influence of flow rule and inertia on the ductile growth of voids, H. Klöcker and F. Montheillet, 125 (1991) 257

Mechanical design, component fabrication and testing

Design and behaviour of French containments, B. Barbé and J.L. Costaz 125 (1991) 57

Structural design, construction methods and testing

Special aspects of the dynamic behavior of spherical containment shells, F. Eberle, B. Göller, R. Krieg, S. Raff and E. Wolf 125 (1991) 1
Leak rate test of personnel airlock for LWR containment subject to pressures and temperatures beyond design, J.T. Julien, S.W. Peters and D.B. Clauss 125 (1991) 23
Conclusions of the EPRI Concrete Containment Researchment Program, R.A. Dameron, R.S. Dunham, Y.R. Rashid, H.T. Tang 125 (1991) 41
Scaling of structural response of containments, R.N. White 125 (1991) 75
Sizewell 'B' – a one tenth scale containment model test for the UK PWR programme, D. Twidale and R. Crowder 125 (1991) 85

Core physics and fuel design

Characteristics of plutonium utilization in the Heavy-Water-Moderated Reactor ATR, S. Sawai, T. Wakabayashi and N. Fukumura 125 (1991) 251
Diagnosis and cure of DHRUVA fuel vibration, R.I.K. Moorthy, A.R. Rao and A, Kakodkar 125 (1991) 259

Nuclear safety

Special aspects of the dynamic behavior of spherical containment shells, F. Eberle, B. Göller, R. Krieg, S. Raff and E. Wolf 125 (1991) 1
Leak rate test of personnel airlock for LWR containment subject to pressures and tem-

peratures beyond design, J.T. Julien, S.W. Peters and D.B. Clauss 125 (1991) 23
Conclusions of the EPRI Concrete Containment Research Program, R.A. Dameron, R.S. Dunham, Y.R. Rashid, H.T. Tang 125 (1991) 41
Design and behaviour of French containments, B. Barbé and J.L. Costaz 125 (1991) 57
Scaling of structural response of containments, R.N. White 125 (1991) 75
Sizewell 'B' – a one tenth scale containment model test for the UK PWR programme, D. Twidale and R. Crowder 125 (1991) 85
An investigation of crossflow mixing effect caused by grid spacer with mixing blades in a rod bundle, Y.F. Shen, Z.D. Cao and Q.G. Lu 125 (1991) 111
On the scaling of pressure for integral test facilities, M. di Marzo, K. Almenas and Y.Y. Hsu 125 (1991) 137
Vapor generation rate model for dispersed drop flow, C. Unal, K. Tuzla, A.F. Cokmez-Tuzla and J.C. Chen 125 (1991) 161
Integrated MELPROG/TRAC analyses of a PWR station blackout, T.J. Heames and R.C. Smith 125 (1991) 175
An experimental study of bottom-rewetting in a rod bundle geometry, K. Tuzla, C. Unal and J.C. Chen 125 (1991) 189
Theoretical modelling and experimental investigation of single-phase and two-phase flow division at a tee-junction, H. Lemonnier and E. Hervieu 125 (1991) 201
Introduction to fire safety in nuclear power plants, U. Schneider 125 (1991) 289
Fires and fire protection systems: Feedback from operating experience, G. Ishack 125 (1991) 297
A discussion of fire suppression induced equipment damage and systems impact through an examination of spurious fire suppression actuation incidents, S.P. Nowlen, J.A. Lambright, J.C. Romig, M.P. Bohn and V.F. Nicolette 125 (1991) 309
Experiments on development, spreading and detection of cable fires, H.-G. Lang and E. Huber 125 (1991) 325
A review of fire hazards and fire protection concerns of commercial fuel cycle facilities in the United States, A. Datta 125 (1991) 315
Large hydrocarbon fires in an old NPP, K. Müller and R. Dobbernack 125 (1991) 329
Fires in large scale ventilation systems, W.S. Gregory, R.A. Martin, B.W. White, B.D. Nichols, P.R. SMith, I.H. Leslie, D.L. Fenton, M.V. Gunaji and J.P. Blythe 125 (1991) 337
Burning behavior in a poor-ventilation compartment fire – Ghosting Fire – , O.O. Sugawa, K.K. Kawagoe and Y. Oka 125 (1991) 347
Experimental and digital simulation techniques: a predominant tool for analysis of fire risk in French Pressurized Water Reactors, R. Rzekiecki and J.C. Malet 125 (1991) 353
Contribution of plant internal fires in the German Risk Study of Nuclear Power Plants (Phase B), H. Liemersdorf 125 (1991) 359
Assessing the adequacy and reliability of fire barriers in nuclear power plants, A.N. Beard, G. Burke and M.T. Finucane 125 (1991) 367
Use of numerical simulation computer codes to fire problems in nuclear power plants in Finland, O. Keski-Rahkonen, E. Eloranta and R. Huhtanen 125 (1991) 377
Model for single or multiple fires in a ventilated system: code development, R. Rzekiecki and J.C. Malet 125 (1991) 383
Fire models for assessment of nuclear power plant fires, V.F. Nicolette and S.P. Nowlen 125 (1991) 389
Problems in using computer codes for fire prediction in real containments, R. Dobbernack and K. Müller 125 (1991) 395
Los Alamos combustion modeling for nuclear systems, J.R. Travis, W.S. Gregory and F.R. Krause 125 (1991) 403
Review of the IAEA Fire Symposium, J. Fischer 125 (1991) 411